

FIG. 1




FIG. 2

3/8

106

MAC ADDRESS	IP ADDRESS
_____	192.168.1.1
_____	192.168.2.1
_____	192.168.3.1
5432DF6211	192.168.1.10
65AB397621	192.168.1.15
59231576CA	192.168.1.16
8176EB5938	_____
⋮	⋮

FIG. 3

VN-0122

CLASSIFICATION	OBJECT NAME	MAC ADDRESS	IP ADDRESS	SNMP INFORMATION	PORT NUMBER	STACK NUMBER	VLAN NUMBER	CHILD OBJECT NAME
MAC NODE	AAAA	8176EB5938	—	—	—	—	—	—
	BBBB	65AG793165	—	—	—	—	—	—

IP NODE	CCCC	5432DF6211	199.168.1.10	—	—	—	—	—
	DDDD	65AB397621	192.168.1.15	—	—	—	—	—

SNMP NODE	EEEE	59231576CA	192.168.1.16	αααα	—	—	—	—
	FFFF	8176EB5938	192.168.2.10	ββββ	—	—	—	—

INTERCONNECTING NODE	GGGG	316723AC15	192.168.1.1	γγγγ	—	—	—	00000, AAAAA, PPPPP
	HHHH	11618D3199	192.168.1.2	δδδδ	—	—	—	BBBBB

PORT OBJECT	IIII	—	—	—	1	—	—	QQQQQ
	JJJJ	—	—	—	2	—	—	RRRRR

STACK OBJECT	KKKK	—	—	—	—	1	—	CCCCC, DDDDD
	LLLL	—	—	—	—	2	—	EEEE, SSSSS

VLAN OBJECT	MMMM	—	—	—	—	—	1	AAAAA, GGGGG, TTTTT
	NNNN	—	—	—	—	—	2	UUUUU, IIIII

FIG. 4

5/8




FIG. 5A

VN-0122

6/8




FIG. 5B

VN-0122

S112, 120, 126, 128




FIG. 5C

VN-0122




FIG. 6

VN-0122